

Bin Carts

Optional Accessories:

- Wood Insert(s) - Available only for RBC24365
- Writing Shelf
- Extra Drawer
- Wheel Locks

Frame Color:
Blue or Gray

Standard AkroBin Colors:
Red, Blue, and Yellow

- A convenient combination of a heavy-duty cart with sturdy AkroBins® for organized, portable storage of parts or supplies.
- 13-gauge steel, all-welded construction with 1½" x ⅛" angle iron steel.
- Drawer is 15½"W x 5½"H x 16½"D.
- Bolt-on polyurethane casters – 5" x 1¼"; 2 rigid, 2 swivel with total lock brakes.
- Fully assembled with panel and AkroBins.
- One lip down on top shelf for easy access to work surface.



Model No. RBCB18365
Shown with optional writing shelf



Model No. RBC24365
Shown with optional wood inserts

Bin Carts

Model No.	L x W x H	Panel Mount	Cart Color	Optional Bin Model No.	L x W x H	Optional Bin Color	Qty of Bins
RBC24365	24" x 36" x 36"	Top	Grey / Blue	30239	14¾" x 8¼" x 7"	Red / Blue / Yellow	8
RBCB18365	18" x 36" x 36"	Bottom	Grey / Blue	30240	14¾" x 8¼" x 7"	Red / Blue / Yellow	8
RBCB24365	24" x 36" x 36"	Bottom	Grey / Blue	30240	14¾" x 8¼" x 7"	Red / Blue / Yellow	8

Portable Tables & Carts

**PT SERIES
CART SIZES**

Standard	Optional
18" x 30"	24" x 36"
24" x 30"	24" x 42"
	24" x 48"
	18" x 36"

Specify shelf size when ordering.

**MD SERIES
CART SIZES**

Standard	Optional
24" x 36"	18" x 36"
	18" x 24"
	18" x 30"

Specify shelf size when ordering.

- Durable carts for pulling stock, assembly operations, or other heavy tasks.
- Welded steel frame construction with soft rubber casters for easy maneuverability.
- Overall height: 36".
- Ships completely assembled and ready to use.
- 800 lb. capacity with recommended casters.

Tubular push handle
(on MD series only)

Secure drawer
with padlock or
combination lock

Powder-coated
finish resists wear

Optional
drawer or
writing shelf
available



MD Series

Angle posts for added
strength and rigidity

PT Series

- 4 swivel, 5" x 1¼" soft rubber casters.
- Shelf spacing:
2-shelf – 27" (558 mm), 3-shelf – 12½" (318 mm)
- 13-gauge steel.
- 1½" lip.
- No handle.

MD Series

- 2 swivel, 2 rigid, 5" x 1¼" soft rubber casters.
- Shelf spacing:
2-shelf – 26" (660 mm), 3-shelf – 12" (305 mm)
- Tubular push handle.
- 16-gauge steel.
- 2" hemmed lip.

Medium Duty Portable Tables & Carts

Model No.	Weight Capacity (lbs.)	Caster	Shelves	Height	Shelf Clearance	Handle
RPT2ST5SR	800	4 Swivel	2	36"	27"	–
RPT3ST5SR	800	4 Swivel	3	36"	12½"	–
RMD2ST5SR	800	2 Swivel / 2 Rigid	2	36"	27"	Straight
RMD3ST5SR	800	2 Swivel / 2 Rigid	3	36"	12½"	Straight

Options & Accessories*:

*Special-order products are not returnable.

Drawer



Easily accessible storage drawer. 15½"W x 5½"H x 16½"D O.D.

Writing Shelf



Handy, angled shelf with pencil edge.

Rubber Matting



Rubber mats for all standard size shelves.

Wheel Locks



Control truck movement and prevent wheels from turning. Available on all wheels. Normal installation on two swivel wheels.

Corner Bumpers



Protect walls, doors furniture from damage.

Continuous Bumpers



Complete edge protection for all platform trucks.

Shelf & Multi-Shelf Carts



Multi-Shelf Cart
Model No. R5SY5HR2436

- Heavy-duty carts designed for daily work.
- Welded steel cart rolls smoothly on long-wearing casters.
- Built to withstand loads up to 2,200 lbs. with recommended casters.
- Swayback-style tubular push handle. (Models R1S5HR and R1S8MR have straight handles)
- Choose from several caster options as well as: rubber matting, lips up or down, a writing shelf, and drawers. (See pg. 38)
- Ships completely assembled and ready to use.



CART SIZES		Specify size when ordering.
Standard	Optional	
24" x 36"	18" x 30"	
24" x 48"	18" x 36"	
30" x 48"	24" x 42"	
30" x 60"	24" x 60"	
	27" x 54"	
	36" x 72"	

Shelf Carts

Model No.	Weight Capacity (lbs.)	Caster	Shelves	Height	Shelf Clearance	Handle
R1S8MR	2200	8" x 2" Mold-On Rubber	2	33 1/4"	20 1/4"	Sway Back
R1S8FP2*	1200	8" Full Pneumatic	2	34"	20 1/4"	Sway Back
R1S10FP2*	1200	10" Full Pneumatic	2	36"	20 1/4"	Sway Back
R1S5HR	1800	5" x 2" Polyolefin	2	30 1/4"	20 1/4"	Straight
R1S5HR2LD	1800	5" x 2" Polyolefin	2	25"	15 1/2"	Sway Back
R1S8MR	2200	8" x 2" Mold-On Rubber	2	33 1/4"	20 1/4"	Straight

* Not available in 18" x 30" or 18" x 36" Decks

Multi Shelf-Carts

Model No.	Weight Capacity (lbs.)	Caster	Shelves	Height	Shelf Clearance	Handle
R2S5HR	1800	5" x 2" Polyolefin	2	30 1/4"	20 1/4"	Sway Back
R3S5HR	1800	5" x 2" Polyolefin	3	30 1/4"	9 1/4"	Sway Back
R4S5HR	1800	5" x 2" Polyolefin	4	63 1/4"	17"	Sway Back
R4S8MR	2200	8" x 2" Mold-On Rubber	4	63 1/4"	17"	Sway Back
R5S5HR	1800	5" x 2" Polyolefin	5	63 1/4"	12 1/2"	Sway Back
R5S8MR	2200	8" x 2" Mold-On Rubber	5	63 1/4"	12 1/2"	Sway Back

System Bin Multi-Shelf Carts

Model No.	Weight Capacity (lbs.)	Caster	Shelves	Height	Shelf Clearance	Handle
R5SY5HR2436	1800	5" x 2" Polyolefin	5*	40"	—	Sway Back
R5SY8MR2436	2200	8" x 2" Mold-On Rubber	5*	43"	—	Sway Back
R5SY5HR3636	1800	5" x 2" Polyolefin	5 [‡]	40"	—	Sway Back
R5SY8MR3636	2200	8" x 2" Mold-On Rubber	5 [‡]	43"	—	Sway Back

* - Includes (5) ea. 30312 System Bins; Specify Color When Ordering
‡ - Includes (5) ea. 30318 System Bins; Specify Color When Ordering



Caster Note:
Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 65 for more caster information.

Compact Tote Truck



Supply Caddy
Store supplies in the Heavy-Duty Supply Caddy. Six deep pockets hold clipboards, tape guns, and other bulky items. Durable canvas with nylon hanging straps and velcro fasteners. 16"W x 26"H. Fits all Compact Tote Trucks. Order separately: **Model No. R90000**. Color: Black. 1 per carton.

- All-purpose material handling and transport cart with fold-down handle.
- Deck is constructed of lightweight, high-density structural foam.
- Two fixed, two swivel locking casters make cart easy to maneuver.

Steel handle is powder-coated to resist rusting and folds down flush to deck

Non-skid platform surface prevents load from shifting during transport


Use the molded-in handle to hang the Compact Tote Truck or to secure tie-down straps (not included)



Compact Tote Truck

Model No.	Wheel Dia. x W		Load Rating		Overall Height		Deck Height	
	In.	mm	Lbs.	kg	In.	mm	In.	mm
✓R90041	4 x1	102 x 25	500	227	35	889	8	203

Easy assembly - requires Phillips screwdriver and rubber mallet



All stock items are marked with "✓"

VERSA/Deck™

- Versatile, structural foam cart with multiple handle and caster options.
- Sturdy, easy-to-clean deck resists most chemicals and damage from long-term exposure to weather.
- All decks are steel reinforced.
- Maximize deck space with outside deck handles.
- Choose the deck size, caster type, and handle style to create the exact configuration you need.
- Decks are available in two sizes: 24" x 48" and 30" x 60".
- Deck color: Gray.



Powder-coated heavy-gauge steel handles and rails

Non-skid platform surface prevents cargo from shifting

Steel outside deck handle pockets are welded to underdeck reinforcements

Weight capacities up to 2,700 lbs.

Heavy-duty casters

HDPE molded structural foam deck for strength and long-term durability



VERSA/Deck™ is perfect for transporting long, tall, or bulky items.

Common VERSA/Deck™ Configurations



24" x 48"
R90181 Deck
18" Handle

30" x 60"
R90281 Deck
24" Handle

24" x 48" Decks & Casters

Model No.	Caster Type*	Caster Size		Load Rating	Ship Wt. w/o handles
		Inches	mm		
✓R90181A	Pneumatic	8	203	1200 lbs.	69 lbs.
✓R90182A	Mold-On Rubber	8	203	2000 lbs.	81 lbs.

30" x 60" Decks & Casters

Model No.	Caster Type*	Caster Size		Load Rating	Ship Wt. w/o handles
		Inches	mm		
✓R90281A	Pneumatic	8	203	1200 lbs.	69 lbs.
✓R90282A	Mold-On Rubber	8	203	2000 lbs.	81 lbs.

Note: Deck color gray. Includes one outside deck open sway back handle. Please advise handle style: open style or cross bar as seen in the picture above. Other caster and handle configurations available.

Platform Trucks Steel




Shown with Akro-Mils SWC's and Akro-Grids. See pages 28 and 30.

HEAVY-DUTY DECK SIZES

- 24" x 36" 30" x 48"
- 24" x 48" 30" x 60"
- 24" x 60" 30" x 72"
- 27" x 54" 36" x 60"
- 36" x 72"

Specify size when ordering.

- Heavy-duty steel trucks with longitudinal steel underdeck reinforcements.
- Standard two swivel, two rigid casters.
- Special-order platform trucks are available.



- Caster options allow 800 to 2,200 lb. capacity.

Platform Trucks - Heavy Duty Steel

Model No.	Description	Caster Type*	Caster Size		Weight Capacity	Deck Height	
			Inches	mm		Inches	mm
R2108FPB2436	Steel Platform	Full Pneumatic	8	203	1180 lbs.	11½	292
R2125MRB2436	Steel Platform	Mold-On Rubber	5	127	1500 lbs.	8	203
R2168MRB2436	Steel Platform	Mold-On Rubber	8	203	2000 lbs.	11	279

*See page 65 for full description of casters and wheels.

Platform Trucks Wood Deck

- Heavy-duty platform trucks with kiln-dried, tongue and groove hardwood decks.
- Caster options allow 1,180 to 5,400 lb. capacities.
- Choose from multiple options in deck type, size, handles, casters, running gear patterns, bumpers, and wheel locks.
- Decks are 4/4 (7/8" thick).
- Shipped completely assembled and ready to use.



Platform Trucks - Wood Deck

Model No.	Deck Size	Caster Type*	Load Rating	Deck Type
RPT30601A5N8	30 x 60	8" Pneumatic	1180 lbs.	All Wood
RPT30602A5M8	30 x 60	8" Mold-On Rubber	2000 lbs.	Wood Deck w/ Steel Frame
RPT30603A5M8	30 x 60	8" Mold-On Rubber	2000 lbs.	Wood Deck w/ Steel Corners

*See page 65 for full description of casters and wheels.

Platform Trucks Super-Heavy Duty

SUPER HEAVY-DUTY DECK SIZES

- 24" x 36" 30" x 60"
- 27" x 54" 36" x 72"

Specify size when ordering.

Options & Accessories*:

- Floor Locks
- Wheel Locks
- Corner Bumpers
- Continuous Bumpers

- Super-heavy duty wood deck steel frame trucks.
- Steel C-channel underdeck reinforcements.
- Capacity – 1,200 to 4,000 lbs. depending on caster type.



Platform Trucks - Super Heavy Duty

Model No.	Description	Caster Type*	Caster Size		Weight Capacity	Deck Height	
			Inches	mm		Inches	mm
R2178MRC	Wood Deck Steel Underdeck Reinforcement	Mold-On Rubber	8	203	2000 lbs.	11½	292
R219885MRC	Wood Deck Steel Underdeck Reinforcement	Mold-On Rubber	5	127	1400 lbs.	8	203
R221812MRC	Wood Deck Steel Underdeck Reinforcement	Mold-On Rubber	12	305	3300 lbs.	15	381
R2258516MRC	Wood Deck Steel Underdeck Reinforcement	Mold-On Rubber	16	407	4000 lbs.	19½	495

*See page 65 for full description of casters and wheels.

Custom engineered products can be designed and produced to fit your application or specifications. For more information call your Ak-West distributor.

Platform Trucks Work Height




Hardwood Deck



Structural Foam Deck



All Steel Deck



Expanded Metal Shelf

- Hardwood or structural foam deck available.
- Ergonomic height reduces the strain of lifting and bending.
- Optional expanded metal lower shelf.



Powder-coated, welded steel frame – special colors available

Platform Trucks - Fixed Work Height

Model No.	Description	Inches LxWxH	Caster Type*	Caster Size		Weight Capacity
				Inches	mm	
RWH24481A5M8	Wood Deck	24 x 48 x 26	Mold-On Rubber	8	203	1800 lbs.
RWHV24481A5M8	Structural Foam	24 x 48 x 26	Mold-On Rubber	8	203	1800 lbs.
RWHV24481A5Y6	Structural Foam	24 x 48 x 26	Polyurethane	6	152	2000 lbs.
RWHS24481A5M8	Steel Deck	24 x 48 x 26	Mold-On Rubber	8	203	1800 lbs.
RWHS24481A5Y6	Steel Deck	24 x 48 x 26	Polyurethane	6	152	1800 lbs.
RWH30601A5M8	Wood Deck	30 x 60 x 26	Mold-On Rubber	8	203	1800 lbs.
RWHV30601A5M8	Structural Foam	30 x 60 x 26	Mold-On Rubber	8	203	1800 lbs.
RWHV30601A5Y6	Structural Foam	30 x 60 x 26	Polyurethane	6	152	2000 lbs.
RWHS30601A5M8	Steel Deck	30 x 60 x 26	Mold-On Rubber	8	203	1800 lbs.
RWHS30601A5Y6	Steel Deck	30 x 60 x 26	Polyurethane	6	152	1800 lbs.

*See page 65 for full description of casters and wheels.

Platform Trucks - Adjustable Work Height

Model No.	Description	Inches LxWxH	Caster Type*	Caster Size		Weight Capacity
				Inches	mm	
RWH24481A5M8A	Wood Deck	24 x 48 x 26 to 32	Mold-On Rubber	8	203	1800 lbs.
RWHV24481A5M8A	Structural Foam	24 x 48 x 26 to 32	Mold-On Rubber	8	203	1800 lbs.
RWHV24481A5Y6A	Structural Foam	24 x 48 x 24 to 30	Polyurethane	6	152	2000 lbs.
RWHS24481A5M8A	Steel Deck	24 x 48 x 26 to 32	Mold-On Rubber	8	203	1800 lbs.
RWHS24481A5Y6A	Steel Deck	24 x 48 x 26 to 32	Polyurethane	6	152	1800 lbs.
RWH30601A5M8A	Wood Deck	30 x 60 x 26 to 32	Mold-On Rubber	8	203	1800 lbs.
RWHV30601A5M8A	Structural Foam	30 x 60 x 26 to 32	Mold-On Rubber	8	203	1800 lbs.
RWHV30601A5Y6A	Structural Foam	30 x 60 x 24 to 30	Polyurethane	6	152	2000 lbs.
RWHS30601A5M8A	Steel Deck	30 x 60 x 26 to 32	Mold-On Rubber	8	203	1800 lbs.
RWHS30601A5Y6A	Steel Deck	30 x 60 x 26 to 32	Polyurethane	6	152	1800 lbs.

*See page 65 for full description of casters and wheels. Platform trucks may vary in style from unit shown

Skids Semi-Live & Dead



Choose from steel, wood, or wood with steel frame

1/4" x 2" skid legs for stationary storage

Dead Skids - No Wheels

Model No.	Underclearance	Wt. Capacity
R121DS		
Wood Deck Steel Frame	7 1/4" (184mm)	3000 lbs.
R120DS		
All Steel	7 1/4" (303mm)	3000 lbs.

DECK SIZES

Standard	Optional
24" x 36"	24" x 60"
24" x 48"	27" x 54"
30" x 48"	30" x 60"
36" x 60"	36" x 72"

Specify size when ordering.

- For easy transport of most semi-live skids.
- Specify "T" or loop handle style.
- For female socket, change Model No. prefix to "RF".
- Pipe is 43" long.

Semi-Live Skids - 2 Wheels

Model No.	Description	Caster Type*	Caster Size		Weight Capacity
			Inches	mm	
RA756MR	Tongue & Groove Hardwood Deck	Mold-On Rubber	6	152	1800 lbs.
RA778MR	Tongue & Groove Hardwood Deck	Mold-On Rubber	8	203	2200 lbs.
R756MR	Wood Deck Steel Frame	Mold-On Rubber	6	152	1800 lbs.
R7218PL	Wood Deck Steel Frame	Phenolic	8	203	3000 lbs.
R746MR	All Steel	Mold-On Rubber	6	152	1800 lbs.



DECK SIZES

Standard	Optional
24" x 48"	24" x 36"
30" x 60"	27" x 54"
36" x 72"	30" x 48"
	30" x 72"
	36" x 60"


Specify size when ordering.

Lift Jacks

Model No.	Description	Handle Style	Caster Type*	Caster Size	
				Inches	mm
RM716MR [‡]	Male Lift Jack	(T) or (Loop)	Mold-On Rubber	6	152
RM718MR [‡]	Male Lift Jack	(T) or (Loop)	Mold-On Rubber	8	203
RM718PL [‡]	Male Lift Jack	(T) or (Loop)	Phenolic	8	203
RF716MR [‡]	Female Lift Jack	(T) or (Loop)	Mold-On Rubber	6	152
RF718MR [‡]	Female Lift Jack	(T) or (Loop)	Mold-On Rubber	8	203
RF718PL [‡]	Female Lift Jack	(T) or (Loop)	Phenolic	8	203

[‡] - Specify Handle Style (T) or (Loop) when ordering

*See page 65 for full description of casters and wheels.



ProCart™



Large Cart
Model No. 30936




Small Cart
Model No. 30930

- A versatile work center for the assembly line, warehouse, or wherever you need portable storage.
- High-density polyethylene structural foam construction is dent-resistant, rust-proof, and never needs painting.
- 400lb (180 kg) maximum cart load. 200 lb. (90 kg) capacity per top and bottom shelf.
- Assembly required.
- Specify color: Gray or Beige

Hinged side gates on both shelves flip up or down to convert the ProCart to a flat-top or box-top cart



Deep, molded-in compartments keep small items within reach – yet secured – during transport (Only large cart has mug holder.)



Comfortable, full-width handles give complete handling control

Optional nine-rail system and AkroBins (sold separately) offer complete organization and storage

I-beam post makes loading and unloading oversized boxes on the lower shelf easy

Durable, non-marking 5" wheels

Smooth, rounded corners and edges

Toe-touch, locking swivel wheels

ProCart™ Ordering Information

Model No.	Description	Dimensions		Color	Ctn. Qty.
		Inches	mm		
✓30936	Large cart	45 x 24 x 34¾	1143 x 610 x 883	Gray/Beige	1
✓30930	Small cart	40 x 19½ x 34¾	1016 x 495 x 883	Gray/Beige	1

Easy assembly – requires Phillips screwdriver and rubber mallet
Stocked in grey

ProCart converts from box top to flat top – quickly adapting to the task at hand.

AkroBins® Ordering Information

To create a customized ProCart with AkroBins, use the chart below to determine the quantity of AkroBins that will fit your ProCart. Carts, rail kits, and bins must be ordered separately. When ordering, please specify Red, Yellow, Blue, or Stone colored bins.



Optional 9-Rail Hanging System Ordering Information

The 9-Rail Hanging System is required to hang some AkroBins and modular cabinets on your ProCart. For large cart rails, order **Model No. 30906** – for small cart rails, order **Model No. 30900**. Refer to pg. 19 for modular cabinets.



Use this chart when ordering one size AkroBins for your ProCart:

Bin Model No.	30210	30220	30224	30230	30234	30235	30239	30240	30250	30255
Bin Dim. (L" x W" x H")	5⅞ x 4⅞ x 3	7⅞ x 4⅞ x 3	10⅞ x 4⅞ x 4	10⅞ x 5½ x 5	14¾ x 5½ x 5	10⅞ x 11 x 5	10¾ x 8¾ x 7	14¾ x 8¾ x 7	14¾ x 16½ x 7	10¾ x 16½ x 5
30936 (large cart)	80	80	48	36	36	18	16	16	8	12
30930 (small cart)	70	70	42	30	–	12	12	–	–	–

High-End Narrow Aisle



Galvanized deck



Plywood deck

- Extra-narrow aisle truck for order-picking and stocking where space is limited.
- Slim design fits easily in tight areas.
- Centered, 8" wheels and casters at each corner allow cart to turn within its own diagonal space.
- Available in plywood deck with steel frame, all steel deck, or galvanized.
- 1,500 lb. capacity.



Two removable 1" pipe handles extend 50 1/2" above the deck.

Steel deck

Four, 4" polyolefin swivel casters

Two, 8" mold-on rubber rigid casters

High End Narrow Aisle Carts

Model No.	Description	Center Casters	Corner Casters	Weight Capacity
R215HE	Plywood Deck Steel Frame	8" Mold-On Rubber	4" Polyolefin	1500 lbs.
R214HE	All Steel	8" Mold-On Rubber	4" Polyolefin	1500 lbs.
R214HEGA	Galvanized	8" Mold-On Rubber	4" Polyolefin	1500 lbs.

CART SIZES

Standard	Optional
18" x 48"	18" x 60"
24" x 60"	24" x 48"

Specify deck size when ordering.

Tray Service Cart

- Excellent for libraries and manufacturing operations.
- 2 swivel, 2 fixed casters.

CART SIZES

Standard	Optional
18" x 30"	18" x 36"
24" x 36"	24" x 48"

Specify size when ordering.

Tray Service Cart

Model No.	Overall Dimensions Inches (LxWxH)	Casters	Weight Capacity
R2T5HR1830	18 x 30 x 32 1/2	5" Polyolefin	1800 lbs.
R2T5HR2436	24 x 36 x 32 1/2	5" Polyolefin	1800 lbs.
R2T5HR2448	24 x 48 x 32 1/2	5" Polyolefin	1800 lbs.
R2T8MR2448	24 x 48 x 35 1/2	8" Mold-On Rubber	2200 lbs.

*See page 65 for full description of casters and wheels.

Caster Note:

Caster & Wheel choices allow you to resolve problems of noise control, floor protection, impact or abrasion resistance, or load capacity. See page 65 for more caster information.



Clear shelf spacing, 12 1/8"

1 1/2" hemmed edges

Box Trucks

Expanded Metal Box



Expanded metal for easy cleaning, good airflow, and visibility of contents. 31 1/2" overall height; 25" inside depth.

- All box trucks have 2 swivel, 2 rigid, 5" x 2" polyolefin casters.
- Solid steel or expanded metal sides available.
- 1,800 lb. capacity.
- Available with optional lid.

30 1/2" overall height, 24" interior depth

2" hemmed edges



Available with optional lid

Secure lid with padlock or combination lock


Sturdy, 13-gauge steel construction

BOX SIZES

24" x 36" 24" x 48" 30" x 36" 30" x 48" Specify size when ordering.

Tray Service Cart

Model No.	Description	Weight Casters	Capacity
R1B5HR	Steel Box Truck	5" Polyolefin	1800 lbs.
R1B5HRL	Steel Box Truck with Lid	5" Polyolefin	1800 lbs.
R1B5HRX	Expanded Metal Box Truck	5" Polyolefin	1800 lbs.
R1B5HRXL	Expanded Metal Box Truck with Lid	5" Polyolefin	1800 lbs.



Standard Caster

Polyolefin
See page 65 for more caster information.